





Every floor needs the right accessories

Accessories provide the perfect finishing touch to the look of the floor. They personalise and protect, and offer safety and signage features. Designed exclusively for the building industry, Tarkett's accessories range is a complete package of solutions to ensure that you have the right product, for the right place and at the right price. We also provide assistance with installation and customisation on request.




Welding Rods Information p. 474-475

Accessories for vinyl and linoleum floorings p. 476-495

Accessories for wood and laminate floorings p. 496-501

Accessories for sports floorings p. 502-507

WELDING & WELDING RODS INFORMATION



WELDING RODS DETAILED INFORMATION

All Tarkett resilient ranges offer a complete list of matching unicolour or multicolour welding rods according to the design and colour chosen.
Please refer to:

<http://professionals.tarkett.com> (under Products / Accessories / Welding rods)

COLD WELDING

Creation of a watertight join which is necessary to prevent any penetration of water after the vinyl floorcovering has been laid.

Name of the product	Reference	Description	Logistic information
Cold welding - Semi-commercial use	Type V1008	Specially designed for PVC floorcoverings that have been overlapped and double cut.	Art code: 1419 001 1 box of 10 tubes A tube for a 6 to 12lm welding
Cold welding - Commercial use	Type A	Specially designed for PVC floorcoverings that have been overlapped and double cut.	Art code: 1490 002 1 box of 24 tubes A tube for a 20lm welding
Cold welding - Commercial use	Type C	Specially designed for PVC floorcoverings with joint opening from 0.3mm to 4mm.	Art code: 1490 003 1 box of 24 tubes A tube for a 10 to 15lm welding

HOT WELDING FOR VINYL FLOORINGS

Name of the product	Logistic information
Welding rods	diameter= 4mm 1 bobbin of 50lm

HOT WELDING FOR VINYL SPORTS FLOORINGS

Name of the product	Logistic information
Welding rods - Omnisports Speed / Compact	diameter= 5mm 1 bobbin of 50lm
Welding rods - Omnisports Training / Reference / Excel	diameter= 5mm

HOT WELDING FOR LINOLEUM FLOORINGS

Name of the product	Reference	Logistic information
Welding rods	Unicolour: 1751 + Colour Code Multicolour: 14000 + Colour Code	diameter= 4mm 1 bobbin of 50lm


- Homogeneous Vinyl - iQ, Premium, Plus
- Heterogenous Vinyl - Acoustic & Compact - Acczent & Tapiflex Evolution
- Heterogenous Vinyl - Acoustic & Compact - Acczent & Tapiflex Excellence
- Heterogenous Vinyl - Acoustic - Tapiflex Essential
- Heterogenous Vinyl - Compact - Acczent Excellence 70
- Heterogenous Vinyl - Compact - Acczent Essential 55
- Heterogenous Vinyl - Compact - Acczent Classic 40
- Specific Solutions - Homogeneous & Heterogenous Vinyl
- Linoleum - xf² & Essenza
- Sports - Vinyl floorings Omnisports
- Sports - Combinated floorings - Vinyl
- Sports - Combinated floorings - Linoleum

ACCESSORIES FOR RESILIENT FLOORINGS






CORE ACCESSORIES

>COVE FORMERS


PVC COVE FORMER






Used to form a cove where floor coverings are continued up the wall. Usually used with a capping seal or cap to finish the raw edge of the floor covering.
Delivery: 25 units of 2lm



PVC CAPPING




Used to finish the top of a resilient floor covering where it has been covered up the wall. Usually used with a cove former.
CAP1: semi-flexible, cost-effective
CAP2: self-adhesive, easy to install
CAP3: two-parted, hygienic





	CAP1	CAP2	CAP3
Medium grey RAL: 5000 NCS: S 5502 B	1443 000	-	-
Light grey RAL: 7500 NCS: S 3000 N	1443 001	-	-
White RAL: 9003 NCS: S 0500 N	1443 002	1444 001	1445 001
Black RAL: 1500 NCS: S 9000 N	-	1444 000	1445 000
Silver	-	1444 002	-
Wood colour matched RAL: 070 80 30 NCS: S 2020 Y 30 R	-	-	1445 002
Delivery	25 units of 2.70lm	25 units of 2.70lm	25 units of 2.70lm

2 IN 1: COVE FORMER & CAPPING



Provides a neat cove allowing floor coverings to be dressed up the wall to form a skirting, supports floor covering at a weak point, and protects the exposed edge.





	PAD8	PAD10
Medium grey RAL: 5000 NCS: S 5502 B	1438 000	1437 000
Light grey RAL: 7500 NCS: S 3000 N	1438 001	1437 001
White RAL: 9003 NCS: S 0500 N	1438 002	1437 002
Delivery	20 units per box in 2lm	20 units per box in 2lm

>SET-ON SKIRTINGS

FLEXIBLE SKIRTING




Flexible PVC skirting used where a neat and clean finishing is required in non critical areas.




	PL6	PL8	PL10
Matched to wood RAL: 070 80 30 NCS: S 2020 Y 30 R	1449 000	1458 000	1450 000
Black RAL: 1500 NCS: S 9000 N	1449 001	1458 001	1450 001
Medium grey RAL: 5000 NCS: S 5502 B	1449 002	1458 002	1450 002
Silver grey RAL: 070 80 10 NCS: S 2005 Y 40 R	1449 003	1458 003	1450 003
Light grey RAL: 8500	1449 004	1458 004	1450 004
White RAL: 9003 NCS: S 0500 N	1449 005	1458 005	1450 005
Delivery	1 unit of 50lm	1 unit of 50lm	1 unit of 50lm

VENTILATED SKIRTING



Ventilated skirting made of wood to be painted. To be used in combination with loose lay floorings or with floor coverings on Tarkolay.
Article code: 1252 030 (unfinished)



LINOLEUM SKIRTING



Made with an MDF support for resistance to shocks. Tailor-made following the colour of the floor.
 - 6/8cm high x 220cm long
 - Colour upon request



Description	Product group	Colour code
Set on skirting of 6cm for Linoleum with 2.5mm thickness	SOS 25 6cm	1736
Set on skirting of 8cm for Linoleum with 2.5mm thickness	SOS 25 8cm	1737
		To be created on request

ACCESSORIES FOR RESILIENT FLOORINGS


CORE ACCESSORIES

>SET-ON SKIRTINGS


SEMI-FLEXIBLE DECORATIVE SKIRTING




KS61 - PVC semi-rigid skirting for decorative use.
S60/S100 - Rigid skirting on a MDF support for decorative use.



KS61



S60



S100

	KS61	S60	S100
Black RAL: 1500 NCS: S 9000 N	1411 007	1446 007	1447 007*
Dark grey RAL: 3500 NCS: S 7502 B	1411 008	1446 008*	1447 008
Medium grey RAL: 7012 NCS: S 5502 B	1411 009**	1446 009	1447 009*
Grey RAL: 6000 NCS: S 4000 N	1411 010	1446 010*	1447 010
Light grey RAL: 7500 NCS: S 3000 N	1411 011**	1446 011	1447 011*
Very light grey RAL: 8500 NCS: S 1500 N	1411 012**	1446 012*	1447 012
Dark brown RAL: 060 40 05 NCS: S 7005 Y 50 R	1411 013**	1446 013	1447 013*
Dark red brown RAL: 050 20 16 NCS: S 8010 Y 70 R	1411 014	1446 014*	1447 014
Dark yellow brown RAL: 060 30 27 NCS: S 7020 Y 40 R	1411 015	1446 015	1447 015*
Red brown RAL: 040 40 30 NCS: S 4040 Y 70 R	1411 016	1446 016*	1447 016
Terracotta RAL: 050 30 30 NCS: S 6030 Y 70 R	1411 017	1446 017	1447 017*
Dark red RAL: 040 30 40 NCS: S 3560 Y 80 R	1411 018**	1446 018*	1447 018
Red RAL: 030 40 60 NCS: S 1580 Y 90 R	1411 019	1446 019	1447 019*
Orange RAL: 050 60 60 NCS: S 0570 Y 50 R	1411 020	1446 020*	1447 020
Beige RAL: 070 60 20 NCS: S 4020 Y 20 R	1411 021	1446 021	1447 021*
Medium brown RAL: 060 40 30 NCS: S 5030 Y 40 R	1411 022	1446 022*	1447 022
Brown RAL: 060 50 30 NCS: S 4030 Y 30 R	1411 023	1446 023	1447 023*
Light brown RAL: 060 60 30 NCS: S 3030 Y 40 R	1411 024	1446 024*	1447 024
Medium beige RAL: 070 80 30 NCS: S 2020 Y 30 R	1411 025	1446 025	1447 025*
Delivery	20 units of 2.50lm	20 units of 2.57lm	10 units of 2.57lm

	KS61	S60	S100
Grege RAL: 070 80 10 NCS: S 1500 N	1411 026	1446 026*	1447 026
Light beige RAL: 080 80 20 NCS: S 2010 Y 20 R	1411 027	1446 027	1447 027*
Yellow RAL: 070 70 60 NCS: S 1060 Y 20 R	1411 028	1446 028*	1447 028
Purple red RAL: 340 50 20 NCS: S 4030 R 30 B	1411 029	1446 029	1447 029*
Purple blue RAL: 290 60 25 NCS: S 2040 R 60 B	1411 030	1446 030*	1447 030
Light purple RAL: 290 60 10 NCS: S 3020 R 60 B	1411 031	1446 031	1447 031*
Rose wood RAL: 060 60 10 NCS: S 3010 Y 50 R	1411 032	1446 032*	1447 032
Light green RAL: 120 70 30 NCS: S 2030 G 40 Y	1411 033	1446 033	1447 033*
Medium green RAL: 110 60 20 NCS: S 3020 G 40 Y	1411 034	1446 034*	1447 034
Blue green RAL: 190 60 10 NCS: S 3020 B 50 G	1411 035	1446 035	1447 035*
Green yellow RAL: 100 70 60 NCS: S 2050 G 70 Y	1411 036	1446 036*	1447 036
Night blue RAL: 250 30 10 NCS: S 7010 R 90 B	1411 037**	1446 037	1447 037*
Navy blue RAL: 250 50 25 NCS: S 3040 R 90 B	1411 038	1446 038*	1447 038
Dark blue RAL: 270 40 25 NCS: S 5030 R 80 B	1411 039	1446 039	1447 039*
Blue RAL: 260 60 25 NCS: S 2040 R 80 B	1411 040	1446 040*	1447 040
Medium blue RAL: 250 50 20 NCS: S 4030 R 90 B	1411 041	1446 041	1447 041*
Sky blue RAL: 230 70 15 NCS: S 2020 B	1411 042	1446 042*	1447 042
Light blue RAL: 260 70 15 NCS: S 2020 R 80 B	1411 043	1446 043	1447 043*
Green blue RAL: 200 60 20 NCS: S 3030 B 50 G	1411 044	1446 044*	1447 044
Delivery	20 units of 2.50lm	20 units of 2.57lm	10 units of 2.57lm



Specific cutting tool for corners
recommended for S60 and S100.

* On request.
** 6 colours available in self adhesive skirtings.


Medium grey 1461 009	Dark brown 1461 013
Light grey 1461 011	Dark red 1461 018
Very light grey 1461 012	Night blue 1461 037

>SET-ON SKIRTINGS


RIGID DECORATIVE SKIRTING WITH MATERIAL
TO BE INSERTED



IS60/ISS60 - Rigid skirtings made on MDF support.
Floor covering to be inserted for perfect colour matching. To be glued.
ISS60 - Specially developed for LVT.



IS60



ISS60

	IS60	ISS60
Medium grey RAL: 5000 NCS: S 5502 B	1448 000	black 1462001
Light grey RAL: 7500 NCS: S 3000 N	1448 001	silver grey 1462002
White RAL: 9003 NCS: S 0500 N	1448 002	white 1462003
		chocolate 1462004
		light beige 1462005
		cappuccino 1462006
Delivery	20 units of 2.57lm	Delivery 20 pieces in one cardboard box = 51.40lm

FLEXIBLE DECORATIVE SKIRTING WITH MATERIAL
TO BE INSERTED



Very flexible skirting for curved walls and pillars. Floor covering to be inserted for perfect colour matching. Self adhesive both sides: 7 x 60 x 2 500mm.

Ordering unit: 1 box of 10 = 25lm.



1464 001
Clip Cutter
Designed to facilitate the cutting of the floor
covering to be inserted in the above skirtings.

ACCESSORIES FOR RESILIENT FLOORINGS

CORE ACCESSORIES

>SET-ON SKIRTINGS


CORNER BEADING FOR LVT



Quarter round made of soft wood. Mainly used for renovation.

Article code		Color
8007 239		Black
8007 217		Suede Sherwood Oak
8007 197		Old World Walnut
8007 214		Deep Honey Sherwood Oak
8007 355		Dark Misty Walnut

LARGE SKIRTING FOR LVT




Decorative skirting specially designed for LVT. Made of MDF and coated film.

Article code		Color
8025 239		Black
8025 006		Beech Medium
8025 217		Suede Sherwood Oak
8025 326		Day spring Rainbow
8025 327		Midnight Rainbow
8025 197		Old World Walnut
8025 279		Walnut
8025 214		Deep Honey Sherwood Oak

Article code		Color
8025 240		White
8025 216		Mocca Sherwood Oak
8025 303		Coffee Oak
8025 288		Sherwood Grey Beige
8025 355		Dark Misty Walnut
8025 283		Concrete Carbon
8025 281		Dark Sand
8025 284		Concrete Chalk

Clip holders for large skirting	1	8019 101
------------------------------------	---	----------

WHITE SKIRTING FOR LVT



Veneer real wood skirting board.

Article	Article code		Color
16x60x2400mm	8791 740		White
Clip holder	8791 800	-	

Clip Holder
Replace adhesive to hold
large skirtings in place:
easy installation & removal.



ADJUSTABLE WHITE SKIRTING FOR LVT




Used for renovation to encapsulate existing ceramic wall bases.

Article	Article code		Color
16x130x2200mm	8301 555		White
Clip holder	For large skirtings	8019 101	-
	For white skirtings	8791 800	-


>SET-IN SKIRTINGS

PREFORMED SKIRTING - PVC / LINO



PVC SIS


Preformed set-in skirting made of PVC or Linoleum flooring, reinforced with polymere on backside. Welded to the floor covering and glued to the wall. Ensure easy to clean and hygenic result.




PVC

60/80/100x100x2 400mm, available on request with all colours
Ordering unit: 1 box of 10 pcs = 48lm (min order 2 boxes)

Art codes:	Acoustic	100x100mm:	26611
		100x80mm:	26612
		100x60mm:	26613
	Compact	100x100mm:	26614
		100x80mm:	26615
		100x60mm:	26616



Lino SIS




LINOLEUM


60/80/100x100x2 400mm, available on request with all colours
Ordering unit: 1 box of 10 pcs = 48lm (min order 2 boxes)

	Product Group	2.5mm	3.8mm
100x100mm:	1743	1743	1740
100x80mm:	1744	1744	1741
100x60mm:	1745	1745	1742

PREFORMED OUTER CORNER - PVC / LINO



Preformed outside corner made of PVC or Linoleum flooring, reinforced with polymere on backside. Welded to the floor covering and glued to the wall. Shock resistant & watertight.




PVC

Shock resistant & watertight outside corner made of Evolution flooring, Polymere reinforced structure.


To be glued or welded.

60/80/100x100x130mm, available on request with all colours
Ordering unit: 1 box of 10 pcs

Art codes:	Acoustic	100x100mm:	26605
		100x80mm:	26606
		100x60mm:	26607
	Compact	100x100mm:	26608
		100x80mm:	26609
		100x60mm:	26610



Lino SIS outer corner



LINOLEUM

60/80/100x100mm (size of the corner 13x13cm)


	Product Group	2.5mm	3.8mm
100x100mm:	1763	1763	1760
100x80mm:	1764	1764	1761
100x60mm:	1765	1765	1762

ACCESSORIES FOR RESILIENT FLOORINGS

CORE ACCESSORIES

>STAIRS ACCESSORIES

PVC STAIR NOSING



Flexible PVC stair nosing. Cut to size on site and fixed with adhesive before floor covering. Typically used with resilient floor coverings.
NM1: specially designed for round-shaped stair noses, with bending radius 8R.
NM20: designed for slight round-shaped stair noses in housing, with bending radius 4R.
NM45: designed for sharp-angled stair noses, with bending radius 2R, for stairs over 16cm high.

	NM1	NM20	NM45
Black RAL: 1500 NCS: S 9000 N	1401 004	1404 004	1403 004
Medium grey RAL: 5000 NCS: S 5502 B	1401 005	1404 005	1403 005
Light grey RAL: 7500 NCS: S 3000 N	1401 006	1404 006	1403 006
Silver grey RAL: 8500	1401 007	1404 007	1403 007
Delivery	12 units of 31m	12 units of 31m	12 units of 31m


ALUMINIUM STAIR NOSING



Aluminium stair nosing. To be screwed over the floor covering.

	MS1
Silver	1434 001
Delivery	10 units of 2.61m

SELF ADHESIVE ALUMINIUM STAIR NOSING




Self adhesive aluminium stair nosing, protects the floor and helps enhance safety.

	MSN24A
Silver	1480 008
Delivery	10 units of 2.71m

>STAIRS ACCESSORIES

INSIDE STAIR CORNER



Corners designed to form a neat and attractive edge around the open end of a step by concealing the edge of the floor covering and stair edging. Colour combination with PVC stair nosing.
SB1: used to protect the bottom of the wall alongside the staircase

	SB1 interior
Black RAL: 1500 NCS: S 9000 N	1432 004
Medium grey RAL: 5000 NCS: S 5502 B	1432 005
Light grey RAL: 7500 NCS: S 3000 N	1432 006
Silver grey RAL: 8500	1432 007
Delivery	20 units per box

OUTSIDE STAIR CORNER



Corners designed to form a neat and attractive edge around the open end of a step by concealing the edge of the floor covering and stair edging. Colour combination with PVC stair nosing.
SB2: used to protect the edge of the floor covering and to hide it


	SB2 exterior
Black RAL: 1500 NCS: S 9000 N	1433 004
Medium grey RAL: 5000 NCS: S 5502 B	1433 005
Light grey RAL: 7500 NCS: S 3000 N	1433 006
Silver grey RAL: 8500	1433 007
Delivery	20 units per box

ACCESSORIES FOR RESILIENT FLOORINGS


SPECIALTIES

>SPECIFIC SOLUTIONS

EXPANSION JOINTS




Screed and expansion joints are made in nearly all buildings and have to be taken over by the floor. If no joints are made, the floor covering may tear or dish, which would require complex and costly repair. Expansion joint sections offer a perfect solution to avoid such problems.



2.3/3.7x2500mm, available in any colour for perfect matching
Ordering unit: 1 box of 10 pcs = 25lm
Art codes: **Expansion joint 2.2:** 26600 (for 2.00mm compact flooring)
Expansion joint 3.7: 26601 (for 3.0/3.5mm acoustic flooring)

COPPER STRIPS




Copper thread to be installed in a grid-pattern underneath the flooring to facilitate static dissipative properties.

>SPECIFIC SOLUTIONS

LVT FEATURE STRIPS



Create visual effects with contrasts of colour - to highlight interior features, shape perceptions of room size or personalise your flooring design in plank or tile arrangements.



BLACK	1421 001
SILVER	1421 002
COPPER	1421 003
PHOSPORESCENT	1421 005
GREEN	1421 006
TAUPE	1421 007
TOBACCO	1421 008
DARK GREY	1421 009
RED	1421 010

TARKOSPRAY



Water based and easy to use flooring adhesive as a spray: 70% faster to apply, immediately ready for use and ideal for easy renovation, and environmental friendly.



Art codes:
France / Germany / The Netherlands 1460 001
United Kingdom / Poland
Italy / Spain / Sweden / Portugal 1460 005
1 box of 6 cans + 1 trigger.
Min order: 20 boxes.

ACCESSORIES FOR RESILIENT FLOORINGS


SPECIALTIES

>WETROOM

FLEXIBLE JUNCTION PROFILES




Flexible PVC junction profiles for wetrooms. Reduce thickness difference between floor rising to the wall and Aquarelle wall coverings.



PJ30

(mm)

PJ30 1418 001
2 rolls of 15lm in one box = 30lm



PJ65


(mm)

PJ65 2666 1001
2 rolls of 15lm in one box = 30lm

THRESHOLD TRANSITION FOR WETROOMS



Rubber transition profiles for wetrooms.
RTS: Flattens when door closes
PTS: hot weldable.



RTS

PTS

Available in one colour
Grey / ref. 1255 748

Available in four colours
Grey / ref. 2666 4001
Dark grey / ref. 2666 4002
White / ref. 2666 4003
Beige / ref. 2666 4004

WATERPROOF PIPE COLLARS



Offer watertight finish for small diameter pipework in a variety of sizes.

STOSETT LOW TOPMEMBRANE		
Diameter*	Reference	Packaging
8 - 12mm	1420 001	24 sleeves + 12 clamps
11 - 15mm	1420 002	24 sleeves + 12 clamps
15 - 19mm	1420 003	24 sleeves + 12 clamps
18 - 22mm	1420 004	24 sleeves + 12 clamps
21 - 26mm	1420 005	24 sleeves + 12 clamps
26 - 31mm	1420 006	24 sleeves + 12 clamps
30 - 35mm	1420 007	24 sleeves + 12 clamps
35 - 42mm	1420 008	6 sleeves + 3 clamps
100 - 127mm	1420 009	1 sleeve
Adhesive for Stosett	1460 010	1 tube = 160lm


* The first figure indicates the diameter of the upper part; the second indicates the diameter at the groove.

>WETROOM


CLASSIC DRAINS

VERTICAL OUTLET Four models


SIPHON PURUS BRAGE 75
ref. 1416 005 outflow 3L/s




SIPHON PURUS BRAGE 50
ref. 1416 004 outflow 2.5L/s



SIPHON STAINLESS STEEL 40*
ref. 1416 007 outflow 0.25L/s




SIPHON PURUS DUSCH BROWN 50
ref. 1416 001 outflow 2L/s




HORIZONTAL OUTLET Three models


SIPHON PURUS FREJA 50
ref. 1416 002 outflow 2L/s



SIPHON PURUS ODEN 75
ref. 1416 003 outflow 3L/s



SIPHON MINIMAX
ref. 1416 006/ø50mm/outflow 2L/s
ref. 1416 010/ø40mm/outflow 0.8L/s



Special
renovation

DRAINS

PVC and stainless steel drains and gratings, adapted to various conditions of use: outlet, height, diameter, and outflow.


GRATINGS

PVC	PVC		
	Standard ø130 ø150	Art Deco ø130 ø150	Drop Grating "Drop" with hole for pipe ø130 ø150
	1417 011 1417 001	2665 8001 2665 7001	2665 9001 2665 0001
STAINLESS STEEL	STAINLESS STEEL		
	Wave ø130 ø150	Drop ø130 ø150	Art deco ø130 ø150
	2665 3001 2665 2001	2665 1001 2665 0001	1417 013 1417 010

PURUS ITEMS

PURUS ITEMS				
Brage/Oden water trap 1417 005	Freja water trap 1417 007	Locking set 1417 006	Purus knife 1417 003	Extra blades for Purus knife (x5) 1417 016
DuschBrownn water trap 1417 008	Support 1417 004	Clamping ring: 150mm 1417 002		

RECTANGULAR DRAINS



Dimensions
Length: 300, 600, 900mm
Width: 120mm
Height: 143*mm

* Note that the height depends on which gully you choose

TYPE AND DIMENSIONS		Length (mm)		
Gully type	Dim	300	600	900
	Side/Side outlet ø50 or ø75 H:	132	132	137
	ø50 A:	107	107	112
	ø75 A:	95	95	100
	Bottom outlet ø50 H:	187	187	192
	ø75 H:	212	212	217
	Low gully ø50 H:	79	79	84
	ø50 A:	54	54	59

REFERENCES*	
300 / 600 / 900mm x 120mm - Vertical outlet and side outlet	
50 and 75mm diameter - Low gully vertical and side outlet	
Stainless Steel line 300 V0 50	2668 0001
Stainless Steel line 300 S0 50	2668 1001
Stainless Steel line 300 V0 75	2668 2001
Stainless Steel line 300 S0 75	2668 3001
Stainless Steel line 300 LS 50	2668 5001
Stainless Steel line 600 V0 50	2668 6001
Stainless Steel line 600 S0 50	2668 7001
Stainless Steel line 600 V0 75	2668 8001
Stainless Steel line 600 S0 75	2668 9001
Stainless Steel line 600 LS 50	2669 1001
Stainless Steel line 900 V0 50	2669 2001
Stainless Steel line 900 S0 50	2669 3001
Stainless Steel line 900 V0 75	2669 4001
Stainless Steel line 900 S0 75	2669 5001
Stainless Steel line 900 LS 50	2669 7001

*on request


ACCESSORIES FOR RESILIENT FLOORINGS

SPECIALTIES

>PROTECTWALL

CAPS

Aluminium and PVC caps (flexible and solid) to provide a perfect finish and protect the edge of the wall covering.



ALUMINIUM CAP

Self adhesive
3.5mm (ext.) x 2.5mm (int.) x 18mm x 2500mm

2662 1001 Silver
2662 1002 Stainless Steel

Delivery: 1 box of 10 pcs = 25lm

ALUMINIUM CAP

Self adhesive
5.2mm (ext.) x 3mm (int.) x 28mm x 2500mm

2662 6001 Silver
2662 6002 Stainless Steel

Delivery: 1 box of 10 pcs = 25lm




SOLID PVC CAP

32mm x 4.5mm (ext.) x 2.5mm x 2500mm

26619001 White
26619002 Beige
26619003 Brown
26619004 Light Grey
26619005 Silver

Delivery: 1 box of 20 pcs = 50



FLEXIBLE PVC CAP

6mm (ext.) x 2.5mm (int.) x 25mm x 25m

26620001 Caramel
26620002 Dark Grey
26620003 Light Grey
26620004 White
26620005 Aluminium


Delivery: 1 roll 25lm

* For cove formers, please see page 476

>PROTECTWALL

SET-ON CORNERS

Aluminium and flexible PVC outside corners used to protect the external corner of walls vs impacts and provide neat finish. Installed over the wall covering.



SOLID PVC 90°

Self adhesive
50mm x 50mm x 900mm
2662 5001 White
2662 5002 Grey
2662 5003 Light Grey
2662 5004 Beige
2662 5005 Medium Grey
2662 5006 Yellow

Delivery:
20 pcs in each pack = 18lm


CORNIERE PVC

AJUSTABLE
Self adhesive
60° a 130°
60mm x 60mm x 900mm
2662 7001 White
2662 7002 Light Grey

Delivery:
20 pcs in each pack = 18lm

SET-IN CORNER

Aluminium and flexible PVC outside corners (flexible and solid) used to protect the external corner of walls vs impacts and provide neat finish. Installed under the wall covering.



ALUMINIUM

30mm x 40mm x 4.5mm (ext.)
x 2.5mm (int.) x 2500mm

2662 4001 Silver
2662 4002 Stainless Steel

Delivery:
1 box of 10 pcs = 25lm

FLEXIBLE PVC

30mm x 30mm x 4.5mm (ext.)
x 2mm (int.) x 2500mm

2662 3001 Caramel
2662 3002 Dark Grey
2662 3003 Light Grey
2662 3004 White
2662 3005 Aluminium

Delivery: 1 roll 25lm

SOLID PVC

22.2mm x 20mm x 2.2mm (int.)
x 2600mm

2662 2001 White

Delivery:
1 box of 10 pcs = 52lm


ACCESSORIES FOR RESILIENT FLOORINGS

ACCESSIBILITY

WARNING TILE



Helps recognize a change in level, in accordance with regulatory requirements for disabled access and safety. The strip should contrast in colour with the surrounding floorcovering to ensure clear visibility. To be glued on top of floorcovering.
Format: 800 x 420 x 3/7mm.
1 box of 6 tiles.



WS1		
	White RAL: 9010 NCS: S 0500 N	1431 001
	Black RAL: 9004 NCS: S 8500 N	1431 002
	Light grey RAL: 7035 NCS: S 2002 G	1431 003
	Yellow RAL: 1033 NCS: S 1080 Y20R	1431 006
	Red RAL: 3003 NCS: S 2570 R	1431 007

TACTILE STRIP




Designed for visually impaired people to help finding their way with blind stick. The strip should contrast in colour with the surrounding floor covering to ensure clear visibility.

Tactile strip	Dry back (to be glued)	Self adhesive
	Snow White 1497 001	1440 001
	Charcoal 1497 020	1440 020
	Grey Haze 1497 024	1440 024
	Black 1497 040	1440 040
	Brown 1497 047	1440 047
Ordering unit	1 box of 1 roll =15.24lm	1 box of 1 roll =15.24lm

ACCESSORIES FOR RESILIENT FLOORINGS

UNDERLAYERS

TARKOLAY



Wet substrates with humidity rate up to 10% at 4mm depth. Loose-laid on the subfloor, it creates natural ventilation and facilitates refurbishment. Both heterogeneous and homogeneous resilient floorings can be glued on it.
For a perfect ventilation, the VS100 skirting is highly recommended.

TARKOFLAT



Underlayer developed for LVT products to be fitted on uneven substrates with maximum difference in level of 1.5mm under the 1m ruler.
Tarkoflat SA: Self adhesive underlayer (2 sides)
Tarkoflat LL: Loose lay to substrate (flooring glued on it withTarkospray or standard acrylic adhesive)
Only for use with LVT planks and tiles, in residential and light commercial applications.
For specific questions contact Tarkett.

ACCESSORIES FOR RESILIENT FLOORINGS

FLOORCRAFT

Tarkett Floorcraft service

For projects looking for a more individually customised design, Tarkett offers a dedicated Floorcraft Service ready to translate your ideas into unique flooring concepts. Designs can be tailored to the aesthetic and commercial requirements and shape of any floor area thanks to sonic precision cutting. Floorcraft designs are assembled in the factory and sent on-site. Detailed layout plans make it fast and simple to install.


Floorcraft offers:

- An off the shelf library of patterns immediately available in a selection of various colour options to enhance borders and provide wayfinding features
- A bank of design options in any size in a selection of 20 colour options to highlight interior features and zoning
- A fully customised solution to match your choice of design and colour, for a more individualised flooring environment

>SHOPS & STORES

Creative designs imagined to enhance stores and shops value by promoting product display and facilitating customer relationship, in order to create memorable store experience.

ROSES & BORDERS



3D Pyramid
Art Code: 24969



Around
Art Code: 24945



Baroque
Art Code: 24948



Celtic Rose
Art Code: 24924



Convergence
Art Code: 24935

URBAN & DIGITAL INSPIRATION



City
Art Code: 24958



Flash code
Art Code: 24963



Map dots
Art Code: 24953



Music
Art Code: 24959



Shopping Time
Art Code: 24933

NATURAL FEELING



Autumn Flower
Art Code: 24951



Dandelion
Art Code: 24961



Waterbranch
Art Code: 24920



Ecology
Art Code: 24965



Expressive Flower
Art Code: 24940

>EDUCATION

A set of designs created to meet the specific needs of Education applications at every age (nursery homes, middle and high school, university) with colourful and creative inspiration.

BABIES



1



2



3




4



5

KIDS



6



7



8



9




10

TEENAGERS



11



12



13



14



15

ACCESSORIES FOR HARD FLOORINGS

WOOD

Tarkett offers a wide selection of accessories to complete the appearance of your wooden floor.

Since wood is a living material you should always leave a space – an expansion gap – of 1.5mm per metre of floor, or at least 8–10mm between the floor and walls, thresholds, pipes, steps, fireplaces, stone floors etc. The expansion gap can be concealed using skirtings, mouldings and pipe collars.

Tarkett Combistar profiles are an innovative product in the Tarkett range. The transition profiles come with a veneer surface of real wood and are very easy to fit. The mounting rail is screwed down

and the profile is attached to the rail. This leaves a lot of room for flexibility and adjustments so that you can obtain the perfect fit between the surface and the profile.

Clipstar veneer skirtings are available in a large assortment of wood species. The system is extremely user-friendly: the skirtings are simply mounted on clips that are attached to the wall separately.

Matching surface finish

Regardless of whether you've treated your floor with Proteco Lacquer or Proteco Natura, you'll be able to find matching profiles, skirtings and pipe collars.

Solid Transitionmouldings

	Lacquer	Unfinished
Reducer for 13-17mm 58 x 19, 2.00 rm		
Oak	•	•
Ash	•	
Ash White	•	
Beech	•	
Walnut	•	
Oak Brushed	•	
Oak Lime Stone Brushed	•	
Oak Old Brown Brushed	•	
Oak Old Grey Brushed	•	
Oak Urban Grey Brushed	•	
Oak Blonde Brushed	•	
Ash Ivory	•	

Reducer for 8-12mm 44 x 12, 2.00 rm

Oak	•
Ash	•
Beech	•
Walnut	•

End profile for 13-17mm 38 x 19, 2.00 rm

Oak	•	•
Ash	•	
Ash White	•	
Beech	•	
Oak Brushed	•	
Oak Lime Stone Brushed	•	
Oak Old Brown Brushed	•	
Oak Old Grey Brushed	•	
Oak Urban Grey Brushed	•	
Oak Blonde Brushed	•	
Ash Ivory	•	
Walnut	•	

End profile for 8-12mm 32 x 12, 2.00 rm

Oak	•
Ash	•
Beech	•
Walnut	•

Thresholdmoulding for 13-17mm







58 x 20, 2.00 rm

Oak	•	•
Ash	•	
Ash White	•	
Beech	•	
Oak Brushed	•	
Oak Lime Stone Brushed	•	
Oak Old Brown Brushed	•	
Oak Old Grey Brushed	•	
Oak Urban Grey Brushed	•	
Oak Blonde Brushed	•	
Ash Ivory	•	
Walnut	•	

Thresholdmoulding for 8-12mm

44 x 12, 2.00 rm

Oak	•
Ash	•
Beech	•
Walnut	•



Solid Stairnoses

	Lacquer	Unfinished
Stair nose for 8.5mm 48 x 19, 2.00 rm		
Oak	•	•
Maple	•	
Beech	•	
Walnut	•	

	Lacquer	Unfinished
Stair nose / landing profile for 13-14mm 66 x 20mm + 40 x 14mm, 2.00 rm		
Oak	•	•
Maple	•	
Beech	•	
Walnut	•	

	Lacquer	Unfinished
Stair nose 14mm 60 x 26 2-lock, 2.00 rm		
Oak	•	•
Maple	•	
Beech	•	
Walnut	•	

	Lacquer	Unfinished
Stair nose 13mm 60x26 2-lock, 2.00 rm		
Rumba + Tango 2-strip	•	•
Oak lacquered	•	
Oak unfinished	•	
Tango 1-strip	•	
Oak lacquered	•	
Oak unfinished	•	

Solid Profiles

	Lacquer	Unfinished
End cover profile 21 x 9mm, 2.00 rm		
Oak	•	
Ash	•	
Walnut	•	

Corner beading 22 x 22mm, 2.35 rm		
Oak	•	
Ash	•	
Maple	•	
Beech	•	
Pine	•	

Combistar Transition Veneermouldings

	Lacquer	Unfinished
Flexible T-profile for 7-21mm, 2.00 rm		
Oak	•	•
Ash	•	
Maple	•	

Flexible T-profile for 7-21mm, 1.00 rm		
Oak	•	
Oak White	•	
Oak Java (dark)	•	
Oak Black	•	
Oak Brown	•	
Oak Dark Grey	•	
Oak Light Grey	•	
Oak Cumin	•	
Ash	•	
Ash Cognac	•	
Ash White	•	
Maple	•	
Beech	•	
Walnut	•	

Quadrant


	Lacquer	Unfinished
Quadrant 19 x 12mm, 2.4 rm		
Oak	•	•
Ash	•	
Maple	•	
Cherry	•	
Beech	•	
Walnut	•	
White (foiled)	•	

Pipe Covers In Solid Wood

	17.1mm	22.0mm
Pipe cover in solid wood		
Oak	•	•
Oak Unfinished	•	•
Beech	•	•
Ash	•	•
Maple	•	•
Dark (stained)	•	•

Double pipe cover in solid wood

Oak undrilled. Holes to be drilled afterwards
Oak undrilled unfinished. Holes to be drilled afterwards



For accessories coordinated with Marty Wood Ranges see:

www.parquets-marty.fr

Veneermouldings (Adapted For Clip System Clipstar)

	Lacquer	Unfinished
Skirting 60 x 16mm, Natural and stained, 2.4 rm		
Oak	•	•
Oak White	•	
Oak Nordic White	•	
Oak Java (dark)	•	
Oak Black	•	
Oak Brown	•	
Oak Dark Grey	•	
Oak Light Grey	•	
Oak Cumin	•	
Oak Cotton White	•	
Oak Brushed	•	
Oak Spring	•	
Oak Lime Stone Brushed	•	
Oak Blonde Brushed	•	
Oak Umber Brown	•	
Oak Old Brown Brushed	•	
Oak Evening Grey	•	
Oak Old Grey Brushed	•	
Oak Urban Grey Brushed	•	
Ash Ivory	•	
Ash	•	
Ash White	•	
Ash Cognac	•	
Ash White Pearl	•	
Maple	•	
Cherry	•	
Beech	•	
Walnut	•	
Jatoba	•	
Merbau	•	
Africanmahogany (Sapele)	•	

Skirting 60 x 16mm, foiled

White	•
-------	---

Skirting 60 x 16mm, Digital print on wood, 2.4 rm

Oak Denim	•
Oak Stone Grey	•
Oak Patina White	•
Oak Praline	•
Oak Vintage Light Hazel	•
Oak Vintage Olive	•
Oak Vintage Soft Grey	•
Oak Winter	•
Oak Vintage Brown	•

Skirting 80 x 16mm, 2.4 rm



Oak	•
Cherry	•
Beech	•
Walnut	•

Skirting 60 x 22mm, 2.4 rm

Oak	•
Ash	•
Maple	•
Cherry	•
Beech	•
Walnut	•

Box including 50 separate clips for Clipstar skirtings

Clips (50 clips in a box) fit to all Tarkett veneered profiles



ACCESSORIES FOR HARD FLOORINGS
LAMINATE

SELECT 833 COORDINATED ACCESSORIES



3 IN 1

7.5 TO 18 x 930 mm
only by unit* 8014 003



SCOTIA

16 x 16 x 2400mm
4 pieces in 1 box* 8007



MEDIUM
SKIRTING

20 x 40 x 2400mm
10 pieces in 1 box* 8015
8315**



LARGE
SKIRTING

17 x 60 x 2400mm
10 pieces in 1 box* 8025



EXTRA LARGE
SKIRTING

15 x 90 x 2400mm
5 pieces in 1 box* 8009

Modern Wenge	8014 003	8007 303	8015 303	8025 303	8009 303
Mocha Sherwood Oak	8014 003	8007 216	8015 216	8025 216	8009 216
Coffee	8014 003	8007 391	8015 391	8025 391	8009 391
Heritage Traditionnal Oak	8014 003	8007 394	8015 394	8025 394	8009 394
Heritage Whitened Oak	8014 003	8007 395	8015 395	8025 395	8009 395
Deep Honey Sherwood Oak	8014 003	8007 214	8015 214	8025 214	8009 214
Princess Fontainebleau Oak	8014 003	8007 222	8015 222	8025 222	8009 222
Antique Mapple	8014 003	8007 393	8015 393	8025 393	8009 393
Wine	8014 003	8007 390	8015 390	8025 390	8009 390
Narrow Light Patchwork	8014 003	8007 386	8015 386	8025 386	8009 386
Beige Sherwood Oak	8014 003	8007 218	8015 218	8025 218	8009 218
Rough Cherry	8014 003	8007 388	8015 388	8025 388	8009 388
White And Hype	8014 003	8007 240	8015 240	8025 240	8009 240
Antique Paint	8014 003	8007 387	8015 387	8025 387	8009 387
Suede Sherwood Oak	8014 003	8007 217	8015 217	8025 217	8009 217
Farmhouse Pine	8014 003	8007 397	8015 397	8025 397	8009 397
Barn Oak	8014 003	8007 392	8015 392	8025 392	8009 392
Bergamo Grey Oak	8014 003	8007 362	8015 362	8025 362	8009 362
Contrasting Pine	8014 003	8007 289	8015 396	8025 289	8009 289
Narrow Fumes Patchwork	8014 003	8007 359	8015 359	8025 359	8009 359
Wild Light Stone	8014 003	8007 356	8015 356	8025 356	8009 356
Jeans	8014 003	8007 374	8015 374	8025 374	8009 374

* Not available by unit.
**By unit.

UNDERLAYS



StandardFoam 18dB
8021 000
PE, 2mm, 1 roll = 1m x 20lm
Ordering unit: 4 rolls = 80 sqm.



PE film 200 µ
8021 001
1 roll = 2m x 13m
Ordering unit:
1 UN = 4 rolls in a carton



SoundBlockFoam 19dB
8267 000
UPEC certified version 8267 100
3mm, 1 roll = 1.20m x 16.7lm.
Ordering unit: 1 UN = 1 roll = 20m²

ACCESSORIES FOR HARD FLOORINGS

LAMINATE

SMART PRO 832 COORDINATED ACCESSORIES



3 IN 1

7.5 TO 18 x 930 mm
only by unit* 8014 003



SCOTIA

16 x 16 x 2400mm
4 pieces in 1 box* 8007



MEDIUM
SKIRTING

20 x 40 x 2400mm
10 pieces in 1 box* 8015
8315*



LARGE
SKIRTING

17 x 60 x 2400mm
10 pieces in 1 box* 8025



EXTRA LARGE
SKIRTING

15 x 90 x 2400mm
5 pieces in 1 box* 8009

Modern Wenge	8014 003	8007 303	8015 303	8025 303	8009 303
Mocha Sherwood Oak	8014 003	8007 216	8015 216	8025 216	8009 216
King Fontainebleau Oak	8014 003	8007 224	8015 224	8025 224	8009 224
Deep Honey Sherwood Oak	8014 003	8007 214	8015 214	8025 214	8009 214
Light Oiled Oak	8014 003	8007 361	8015 361	8025 361	8009 361
Heritage Traditionnal Oak	8014 003	8007 394	8015 394	8025 394	8009 394
Heritage Whitened Oak	8014 003	8007 395	8015 395	8025 395	8009 395
Princess Fontainebleau Oak	8014 003	8007 222	8015 222	8025 222	8009 222
Canyon Beech	8014 003	8007 006	8015 006	8025 006	8009 006
Beige Sherwood Oak	8014 003	8007 218	8015 218	8025 218	8009 218
Rough Cherry	8014 003	8007 388	8015 388	8025 388	8009 388
Polar Ash	8014 003	8007 389	8015 389	8025 389	8009 389
White And Hype	8014 003	8007 240	8015 240	8025 240	8009 240
Suede Sherwood Oak	8014 003	8007 217	8015 217	8025 217	8009 217
Bergamo Grey Oak	8014 003	8007 362	8015 362	8025 362	8009 362
Soft Cumin Oak	8014 003	8007 365	8015 365	8025 365	8009 365
Soft Cinnamon Oak	8014 003	8007 368	8015 368	8025 368	8009 368
Contrasting Pine	8014 003	8007 396	8015 396	8025 396	8009 396
Grey Mocha Sherwood	8014 003	8007 289	8015 289	8025 289	8009 289
Wild Light Stone	8014 003	8007 356	8015 356	8025 356	8009 356

* Not available by unit.
**By unit.

INSTALLATION ACCESSORIES



Plastic clip holder
8019 101
For 40 and 60mm skirtings (x30)
1 carton of 10 boxes
(1 box contains 30 clips)



Spacers
8022 000
50 spacers/bag.
Ordering unit:
1 box of 10 bags.



Installation tape
8026 000
50mm x 25m
1 unit = 4 rolls in a carton

ACCESSORIES FOR RESILIENT SPORTS FLOORINGS

FINISHING ACCESSORIES


WOOD VENTILATED SKIRTINGS



Specific wood varnished skirting with spaces made to allow cross ventilation of the vinyl flooring when installed with GreenLay® method.

	Wood Ventilated Skirting			
	(standard)	(wide)	Wood Ventilated Skirting (standard)	Wood Ventilated Skirting (wide)
Oak varnished	1551067	1551068	1 box of 5 units=11.75 lm	1 box of 4 units=9.40 lm
Beech varnished	1551065	1551066	Thickness: 22mm	Thickness: 27mm
Maple varnished	1551069	1551070	Width: 65 mm	Width: 84 mm
			Length: 2350mm	Length: 2350mm

VINYL SKIRTINGS



Flexible PVC skirting for Omnisports range used in sports halls to finish the installation. Available in 5 colours and 3 wood species.

1 box of 20 pcs = 51.40lm
60mm high x 15mm wide x 2570mm long

Characteristics	Article code
Beech	1551064
Black	1446007
Grey	1446009
Maple	1551062
Oak	1551063
Red	1446018
Royal blue	1551061
Sky blue	1551059

THRESHOLD STRIP




Aluminium one-piece transition strip used to join the sport flooring to surrounding floorings. Reinforced for heavy loading and striated for better grip. 4 different sizes to match various thickness differences. To be screwed.


60 or 80mm wide: 1 box of 10 pcs = 30lm
100 or 130mm wide: 1 box of 5 pcs = 15lm
5mm high x 3000mm long

Characteristics	Article code
60mm wide	1551078
80mm wide	1551079
100mm wide	1551080
130mm wide	1551081

ADAPTABLE TRANSITION STRIP



Aluminium adaptable transition strip for floorings with leveling up to 14mm. Striated for a better grip. To be screwed.



1 box of 10 pcs = 27lm
41mm high x 2700mm long
Article code: 1551071

INSTALLATION ACCESSORIES


LINOFINISH



PU finish for Linosport Classic (4mm), ensuring sports performance and resistance of the surface. To be applied in situ.

Linofinish Kit
(5 liters Primer Can + 2 cans of 5 liters of Linofinish to be mixed with the Linofinish hardener)
Article code: 1551083

GREENLAY® INSTALLATION KIT



Specifically adapted to ensure the durability of GreenLay® installation.

GreenLay® glue: Used to form a cove where floor coverings are contined up the wall.
2 components (A+B), 1 pot of 5kg each

Component	Article Code
A	1551057
B	1551058

GreenLay® tape: Used to form a cove where floor coverings are contined up the wall.
Usually used 1 box of 6 rolls (1roll: 100mm x 25m)
Article code: 1551082

TABLE TENNIS



Double-tape unroller enabling the application of double-tape and the assembly of the 2 vinyl rolls of table tennis temporary solution.

Article code: 1430002

ACCESSORIES FOR HARD SPORTS FLOORINGS

FINISHING ACCESSORIES

>SKIRTINGS

WOOD VENTILATED SKIRTINGS



Specific wood varnished skirting with spaces made to allow cross ventilation of the wood flooring or sub-construction.
For S'Match-it and Lumaflex ranges.

	Wood Ventilated Skirting		Wood Ventilated Skirting (standard)	Wood Ventilated Skirting (wide)
	(standard)	(wide)		
Oak varnished	1551067	1551068	1 box of 5 units=11.75 lm Thickness: 22mm Width: 65 mm Length: 2350mm	1 box of 4 units=9.40 lm Thickness: 27mm Width: 84 mm Length: 2350mm
Beech varnished	1551065	1551066		
Maple varnished	1551069	1551070		

>TRAPDOORS



Trapdoors used to ensure the positioning of goals in sports halls.
Filled with wood (S'Match-it range) or vinyl/linoleum (Lumaflex range) for perfect colour matching.

WOOD RANGE



	Diameter 135mm (net opening 90mm)	Diameter 220mm (net opening 170mm)
Oak	1551028	1551029
Beech	1551030	1551031
Maple	1551032	1551033

LUMAFLEX RANGE



	Diameter 135mm (net opening 90mm)	Diameter 220mm (net opening 170mm)
"bare" trapdoor to be filled with Linospport or Omnisports	1551034	1551035

FINISHING ACCESSORIES

>TRANSITION PROFILES


TRANSITION SET FOR WOOD AND LUMAFLEX



Facilitates access to wood or combined sports systems (up to 40mm high). Made of exotic wood for extreme resistance.

40mm x 2700mm
5.4lm per bundle
Article code: 1551072


ADJUSTABLE RAMP



Aluminium adaptable ramp even for high thickness floorings.
Conforms to accessibility standards and regulations.

140 x 960 mm
Order per unit
Max Height 100mm
Article code: 1551074

TELESCOPIC RAMP



Telescopic aluminium ramp suitable for high thickness up to 100mm.
Conforms to accessibility standards and regulations.


760mm width x 1120 to
1830 mm long
Order per unit
Article code: 1551073

ACCESSORIES FOR SPORT FLOORINGS

FOR RESILIENT SPORT FLOORINGS

INSTALLATION ACCESSORIES

WOOD (TARGLUE / TARGUN)



Targlue (PU mastic glue) and Targun have been specifically designed for the installation of Multiflex M. Applied with Targun, Targlue fixes the Tarflex subconstruction with the 14mm multi-layer.




Targlue

1 cardboard of 20 bags of 600ml each
1 cardboard = 200sqm
Article code: 1551006

Targun

order per unit
Article code: 1551007

LUMAFLEX INSTALLATION KIT



All inclusive installation kit for Lumaflex for a quick and easy installation.
Nozzle specifically engineered for Lumaflex profile.



LUMAGLUE

5kg bucket
Article code: 1551075


Glueing system

Article code: : 1551077 (special no stock)

Nozzle

Article code: 1551076

Glue



Lumaflex Glue
Delivery System
+ Lumaflex nozzle



FOR PROTECTIONS

UNROLLER FOR TOUCHDOWN



Unroller designed to facilitate the installation of Touchdown rolls.
Made up of 2 supporting frameworks fitted with castors and one mandrel.



TROLLEY FOR PROTECTILES



Trolley made of 4 articulated wheels with rubber strips and 2 brakes.
Capacity: 100 ProtecTiles

