

PERGO®

VINYL PLANKS & TILES
COLLECTIONS 2023

COLLECTION BOOK





FLOORS FOR REAL LIFE

At Pergo we build strikingly beautiful, extremely hard-wearing floors. No shortcuts, no compromises, just the best in Scandinavian function, design and engineering. We invented laminate flooring and in fact, we've been innovating floors that have gone from strength to strength since the 1970's.

Floors that are easy to install and maintain. And with one of the widest ranges around in wood, vinyl and laminate, you're sure to find the perfect one for you.

Come in and look around.



ADDITIVES IN OUR VINYL FLOORING CONTAIN NO HARMFUL SUBSTANCES AND ARE 100% ORTHO-PHTHALATE FREE.

SUSTAINABLE. NATURALLY.

We produce flooring as sustainable as possible, constantly innovating to minimise the potential impact on our planet. As the inventors of laminate flooring, we're proud to be the first producer to receive the Nordic Swan label and EU Ecolabel for a floor.

VINYL COMPONENTS

There are 3 key ingredients in a Pergo vinyl floor. $\pm 40\%$ chalk, a material abundantly available in nature, $\pm 25\%$ internally recycled PVC generated from our own production waste and $\pm 25\%$ new PVC, made from chlorine (common salt) and ethylene (crude oil).

DURABLE PRODUCTS

We do everything possible to ensure our vinyl flooring will last a very long time, up to 25 years or even lifetime. Our R&D team is working hard to find alternative solutions with more sustainable materials.

ORTHO-PHTHALATE FREE

Additives in our vinyl flooring contain no harmful substances and are 100% ortho-phthalate free. You can be confident they are completely safe for you and your children.

CIRCULAR ECOSYSTEM

99% of our own industrial waste is recycled through our internal production process. We do not unnecessarily burn or dump materials and we operate our own internal closed circuit. This means our production facility takes its responsibility and almost no waste is lost or destroyed.

CLEAN AIR INDOORS

We spend lots of time indoors, and there are many things that influence air quality, like ventilation, cleaning agents, candles, and even your furnishing materials and flooring. We produce flooring in-house so we know exactly which materials are involved and we can control emissions of harmful substances. VOC emissions of our vinyl floors are lower than the European norm, resulting in an A+ rating and M1 label for very low emissions.

INVESTING IN WIND ENERGY

Our Rigid vinyl flooring factory runs on green energy, generated by three of our own windmills. These produce an annual total of 12,600 MWh of green energy, equating to the annual energy consumption of 3,490 European households.

UNILIN, the group behind Pergo, has invested in two biomass plants where wood waste is converted into energy. This enables us to run our production on 24% green/renewable electricity and 74% green heat at a group level in 2021.





VORMA V4524-40285 LIGHT NORWEGIAN OAK

WHY PERGO VINYL FLOORS

Our vinyl floors are the combination of Scandinavian minimalism with maximal choice. From soothing beige to calming greys, from cool tiles to warm oak, there's a Pergo vinyl floor to match your style – and all your needs.

Soft, silent and beautiful to walk on, yet ultra-strong, resistant and waterproof. Pergo vinyl floors make sure your hallway and other hard-wear areas look bright and welcoming.

What's more, they're ortho phtalate-free, so you can safely leave the kids playing on the floor while you relax.

Whether you're into DIY or use a professional company, installing your vinyl floor is easy. You can even install our Rigid vinyl floors on uneven surfaces, and some even have underlay attached already. Now that's smart – and simple.



VORMA V4524-40286 BEIGE CENTURY OAK



SOFT, SILENT AND WARM

For you, your kids and your pets.



LIKE NATURE

You wouldn't believe it's not the real thing. Floors with a look and feel inspired by nature itself.



WATER RESISTANT AND EASY TO CLEAN

The AquaSafe technology gives your floor a watertight* surface making it really easy to clean.



NEW – INTEGRATED UNDERLAY

All our Pad Pro floors have an attached underlay, which makes your installation unbeatably fast and easy.



HIGH RESISTANCE TO IMPACT

Extra-strong core and extra-resistant top layer for high impact resistance, greater durability and longer life.



EASY TO INSTALL

Fast, easy installation with Uniclic® or Unizip® click system. Just click in – then move in.




HIGH RESISTANCE TO WEAR

A floor that will last for years and years to come. All thanks to the superior top layer, which has excellent resistance to wear.



ACCESSORIES FOR A PERFECT RESULT

From faultless installation, to seamless finishing and worry-free maintenance of your beautiful new floor.



RENOVATION FRIENDLY

You can install Rigid on a tile floor or a slightly uneven subfloor**. This makes it an excellent choice for renovation projects.



LIFETIME WARRANTY

All Pergo Rigid floor have a lifetime warranty***, so that you can enjoy your floors without worry.



HOTSPOT PROOF

Hotspot proof – can be installed in rooms with strong sunlight without the floor raising.

*tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

**for requirements, please advise floor installation instructions on website: pergo.com.

***for full warranty go to Pergo.com.



AQUASAFE: BECAUSE LIFE'S TOO SHORT TO WORRY ABOUT WATER

All Pergo Rigid vinyl floors have AquaSafe, our in-house developed technology that creates a sealed, 100% watertight* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stands on the surface and you can easily wipe it away.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

NEW PAD PRO: THE SMARTER, FASTER WAY TO INSTALL YOUR FLOOR

All of our Rigid click floors come with the underlay pre-attached*, to make installing floors smarter, speedier and easier.

Specially designed for professional installers in multi housing projects, and enthusiasts who want to install more square metres in a day. Another advantage with the Pad Pro is that it gives great sound reduction to neighbouring rooms. Creating added comfort in your home.



QUICK AND EASY INSTALLATION

A really fast way to install your floor even if you're not a professional.

NO NEED FOR SEPARATE UNDERLAY

There is no need for sub-work, just go straight on with the floors.

SUPERIOR SOUND REDUCTION TO NEIGHBOURING ROOMS

The underlay is perfectly attached and gives optimal acoustics.

GREAT SUPPORT TO THE UNICLIC CLICKSYSTEM

Impact sound reduction (Vorma Pad Pro, Glomma Pad Pro) ●●●●●

Impact sound reduction (Namsen Pad Pro, Viskan Pad Pro) ●●●●○



*Namsen & Viskan collections are also available without underlay pre-attached.

PRODUCT INFORMATION RIGID CLICK



1. SUPERIOR PROTECTIVE TOP LAYER FOR SCRATCH, STAIN AND WEAR RESISTANCE – EXTRA MATT FOR AUTHENTIC LOOK.
2. FINE PRINTED VINYL DECOR LAYER.
3. FLEXIBLE VINYL LAYER FOR A SOUND ABSORBING, SOFT, WARM AND COMFORTABLE FEELING.
4. RIGID COMPOSITE CORE THAT MAKES LEVELLING OF SOME SUBFLOORS UNNECESSARY. TWO GLASSFIBRE REINFORCED RIGID LAYERS PREVENT THE FLOOR FROM CUPPING.




NEW UNIZIP®: HASSLE-FREE HERRINGBONE INSTALLATIONS

ONE PANEL HERRINGBONE SOLUTION

The Unizip® technology makes it possible to lay a herringbone floor with only one type of panel.


REDUCE MISTAKES DURING INSTALLATION

Easy Angle-Snap installation.
Better and easier installation experience.



VINYL PLANKS & TILES COLLECTIONS

Transform the feeling of your entire room. Make it wider, narrower, longer, darker or lighter depending on which size and colour you choose – the options are endless.



VORMAA
PAD PRO
630 × 126 × 5+1 mm

GLOMMA
PAD PRO
1494 × 209 × 5+1 mm

NAMSEN
PAD PRO
1251 × 189 × 4+1 mm
PRO
1251 × 189 × 4 mm



VISKAN
PAD PRO
610 × 303 × 4+1 mm
PRO
610 × 303 × 4 mm




VORMA V4524-40217 DARK NORWEGIAN OAK

VORMA

PAD PRO 630 × 126 × 5+1 MM | 4-WAY BEVEL
10 PANELS/PACK | 0,794 M²/PACK
108 PACK/PALLET | 85,7304 M²/PALLET





VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

LIGHT NORWEGIAN OAK

● PAD PRO V4524-40285





VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

BEIGE CENTURY OAK

● PAD PRO V4524-40286





VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

BEIGE NORWEGIAN OAK

● PAD PRO V4524-40215




VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

WARM NORWEGIAN OAK

● PAD PRO V4524-40284





VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

DARK CENTURY OAK

● PAD PRO V4524-40287




VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

DARK NORWEGIAN OAK

● PAD PRO V4524-40217





VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

BEIGE LIMESTONE

● PAD PRO V4524-40173



VORMA

630 × 126 × 5+1 MM
4-WAY BEVEL

GREY LIMESTONE

● PAD PRO V4524-40172





GLOMMA V4431-40177 WHITE SCOTTISH OAK

GLOMMA

PAD PRO 1494 × 209 × 5+1 MM | 4-WAY BEVEL
6 PANELS/PACK | 1,873 M²/PACK
52 PACK/PALLET | 97,421 M²/PALLET





GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

WHITE SWAMP OAK

● PAD PRO V4431-40301




GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

WHITE SCOTTISH OAK

● PAD PRO V4431-40177





GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

GREY EIFEL OAK

● PAD PRO V4431-40179




GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

BEIGE IRISH OAK

● PAD PRO V4431-40182





GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

NATURAL SWAMP OAK

● PAD PRO V4431-40302




GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

NATURAL EIFEL OAK

● PAD PRO V4431-40180





GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

PALE TEMPER OAK

● PAD PRO V4431-40305




GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

NATURAL IRISH OAK

● PAD PRO V4431-40183





GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

WARM MOSS OAK

● PAD PRO V4431-40308




GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

NATURAL TEMPER OAK

● PAD PRO V4431-40306





GLOMMA

1494 × 209 × 5+1 MM
4-WAY BEVEL

WARM SWAMP OAK

● PAD PRO V4431-40304




GLOMMA

1494 × 209 × 5+1 MM
4-WAY BEVEL

GREIGE IRISH OAK

● PAD PRO V4431-40184





GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

BROWN EIFEL OAK

● PAD PRO V4431-40181




GLOMMA

1494 x 209 x 5+1 MM
4-WAY BEVEL

BROWNISH SWAMP OAK

● PAD PRO V4431-40303





GLOMMA

1494 × 209 × 5+1 MM
4-WAY BEVEL

DARK TEMPER OAK

● PAD PRO V4431-40307



GLOMMA

1494 × 209 × 5+1 MM
4-WAY BEVEL

DARK EIFEL OAK

● PAD PRO V4431-40178







NAMSEN V4207-40226 LIGHT LAKELAND OAK

NAMSEN

PAD PRO 1251 × 189 × 4+1 MM | 4-WAY BEVEL
9 PANELS/PACK | 2,128 M²/PACK
44 PACK/PALLET | 93,630 M²/PALLET

PRO 1251 × 189 × 4 MM | 4-WAY BEVEL
12 PANELS/PACK | 2,837 M²/PACK
44 PACK/PALLET | 124,840 M²/PALLET





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

WHITE NORWEGIAN OAK

- PAD PRO V4307-40310
- PRO V4207-40310



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

PALE ARDECHE OAK

- PAD PRO V4307-40312
- PRO V4207-40312





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

CHALKED NORWEGIAN OAK

- PAD PRO V4307-40311
- PRO V4207-40311



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

LIGHT NORWEGIAN OAK

- PAD PRO V4307-40285
- PRO V4207-40285





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

LIGHT LAKELAND OAK

- PAD PRO V4307-40226
- PRO V4207-40226



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

BEIGE CENTURY OAK

- PAD PRO V4307-40286
- PRO V4207-40286





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

GREY NORWEGIAN OAK

- PAD PRO V4307-40216
- PRO V4207-40216



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

WARM NORWEGIAN OAK

- PAD PRO V4307-40284
- PRO V4207-40284





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

SMOKED CABIN OAK

- PAD PRO V4307-40223
- PRO V4207-40223



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

BRIGHT ARDECHE OAK

- PAD PRO V4307-40221
- PRO V4207-40221





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

BEIGE NORWEGIAN OAK

- PAD PRO V4307-40215
- PRO V4207-40215



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

GREIGE FOREST OAK

- PAD PRO V4307-40218
- PRO V4207-40218





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

NATURAL NORWEGIAN OAK

- PAD PRO V4307-40309
- PRO V4207-40309




NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

SOFT ARDECHE OAK

- PAD PRO V4307-40313
- PRO V4207-40313





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

NATURAL FOREST OAK

- PAD PRO V4307-40219
- PRO V4207-40219



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

GOLDEN CABIN OAK

- PAD PRO V4307-40314
- PRO V4207-40314





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

LIGHT CABIN OAK

- PAD PRO V4307-40224
- PRO V4207-40224




NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

NATURAL ARDECHE OAK

- PAD PRO V4307-40220
- PRO V4207-40220





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

NATURAL CABIN OAK

- PAD PRO V4307-40222
- PRO V4207-40222



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

DARK LAKELAND OAK

- PAD PRO V4307-40228
- PRO V4207-40228





NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

DARK CENTURY OAK

- PAD PRO V4307-40287
- PRO V4207-40287



NAMSEN

1251 × 189 × 4+1 / 4 MM
4-WAY BEVEL

DARK NORWEGIAN OAK

- PAD PRO V4307-40217
- PRO V4207-40217








VISKAN V4320-40170 BLACK ALPSTONE

VISKAN

PAD PRO 610 x 303 x 4+1 MM | 4-WAY BEVEL
10 PANELS/PACK | 1,848 M²/PACK
48 PACK/PALLET | 88,718 M²/PALLET

PRO 610 x 303 x 4 MM | 4-WAY BEVEL
15 PANELS/PACK | 2,772 M²/PACK
40 PACK/PALLET | 110,898 M²/PALLET






VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

WHITE ALPSTONE

- PAD PRO V4320-40169
- PRO V4220-40169



VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

BEIGE LIMESTONE

- PAD PRO V4320-40173
- PRO V4220-40173





VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

GREY LIMESTONE

- PAD PRO V4320-40172
- PRO V4220-40172



VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

GREY ALPSTONE

- PAD PRO V4320-40171
- PRO V4220-40171






VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

DARK GREY LIMESTONE

- PAD PRO V4320-40174
- PRO V4220-40174



VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

BLACK ALPSTONE

- PAD PRO V4320-40170
- PRO V4220-40170





VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

DRY SANDSTONE

- PAD PRO V4320-40298
- PRO V4220-40298



VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

GREY SANDSTONE

- PAD PRO V4320-40299
- PRO V4220-40299





VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

WET SANDSTONE

- PAD PRO V4320-40300
- PRO V4220-40300



VISKAN

610 × 303 × 4+1 / 4 MM
4-WAY BEVEL

BRIGHT MARBLE

- PAD PRO V4320-40295
- PRO V4220-40295





VISKAN

610 × 303 × 4 / 4+1 MM
4-WAY BEVEL

GREY MARBLE

- PAD PRO 4320-40296
- PRO V4220-40296



VISKAN

610 × 303 × 4 / 4+1 MM
4-WAY BEVEL

DARK MARBLE

- PAD PRO 4320-40297
- PRO V4220-40297





1. UNDERLAYS
Enjoy walking on quiet floors without creaks? Choosing the right underlay can improve your living comfort significantly.



2. SKIRTINGS
Give your interior that stylish impression with skirtings that have the same look as the floor. You can also go for the white and paintable skirtings to match the colour of the wall.



3. EXPANSION PROFILES
Floors in connecting rooms melt together thanks to a colour matched expansion profile. Read on about our Incizo® 5-in-1 solution on page 80.



4. ADAPTER & END PROFILES
An elegant way to make a transition when vinyl floors meet other surfaces. Use an end profile between vinyl and windows and an adapter profile between vinyl and lower floor surfaces. Available in our Incizo® 5-in-1 solution.



5. STAIR COVERS
Pergo's flooring is an excellent choice for staircases. Stair covers provide an elegant finish to each step.

YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

UNDERLAYS (FOR NON PADDED FLOORS)

Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises and support the click system. They can be combined with underfloor heating or cooling too. No need to install a separate underlay when you choose a collection with pad attached.

SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white skirtings.

PROFILES

Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile. Or go for a metal finish.

ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A vinyl floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

UNDERLAYS

Make a great floor greater. Select an underlay before installing your new vinyl floor. Besides creating a level floor, underlays increase walking comfort, improve your room's acoustics and avoid creaking noises. The walking sound reduction table indicates how much sound is reduced in the room. The impact sound reduction table will tell you how much sound is reduced to the rooms below. What's most important in your home? Regardless of which underlay you choose, you can rest assured you've made a sustainable choice. No need to install a separate underlay when you choose a collection with pad attached.



COMFORT UNDERLAY
Sustainable all-round underlay made of recycled PET flakes. Comfort underlay is suitable for any room, has a very good all-round sound reduction and is compatible with underfloor heating or cooling.
Thickness: 1,15 mm. 15 m² / roll.
PGVUDLCOMFORT15

Walking sound reduction ●●●●○
Impact sound reduction ●●●●○



HEAT UNDERLAY*
Recommended underlay for rooms with direct sunlight (large windows) and the best choice for underfloor heating. Heat underlay is composed of renewable raw materials, such as plant-based oils and natural occurring fillers, which makes it a truly sustainable choice.** It has a very good sound reduction and it's also compatible with underfloor cooling.
Thickness: 1,55 mm. 10 m² / roll.
PGVUDLHEAT10

Walking sound reduction ●●●●●
Impact sound reduction ●●●●○



TRANSIT UNDERLAY
Ideal underlay for first floors and apartments, offering the best impact sound reduction to neighbouring rooms. Our Transit underlay is a sustainable choice as it's mainly made of recycled PET flakes. It's also compatible with underfloor heating or cooling.
Thickness: 1,20 mm. 15 m² / roll.
PGVUDLTRANSIT15

Walking sound reduction ●●●●○
Impact sound reduction ●●●●●

* For commercial use it's mandatory to use the Heat Underlay in combination with Namsen pro and Viskan pro.

** Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.

SKIRTINGS

When it comes to vinyl flooring, beauty really is in the details. What would the new living room floor be without the skirtings to match?



STANDARD SKIRTING
2400 x 12 x 58 mm
Colour matched with floor.
Surface: wear and scratch-resistant.
Core: HDF.

PGVSK(-)
For full article number, go to pergo.com



PAINTABLE SCOTIA
2400 x 17 x 17 mm
Paintable, or can be left white.
Not suitable for wet areas.
Core: MDF.

PGSCOTPAINTA



PAINTABLE STANDARD SKIRTING
2400 x 12 x 58 mm
Paintable, or can be left white.
Not suitable for wet areas.
Core: MDF.

PGSKPAINTA



PAINTABLE PARQUET SKIRTING
2400 x 14 x 77 mm
Paintable, or can be left white.
Not suitable for wet areas.
Core: MDF.

PGPSKPAINTA



PAINTABLE COVER SKIRTING
2400 x 16 x 129 mm
For easy and fast renovation. Covers existing skirting. Paintable, or can be left white.
Not suitable for wet areas.
Core: MDF.

PGISKRCOVER



PAINTABLE WATERPROOF MEDIUM SKIRTING
2400 x 13 x 58 mm
Paintable, or can be left white.
Use the Foamstrip and Aqua Sealant to obtain a watertight finish.
Core: polystyrene.

PGHSK58PAINT



PAINTABLE WATERPROOF LARGE SKIRTING
2400 x 15 x 80 mm
Paintable, or can be left white.
Use the Foamstrip and Aqua Sealant to obtain a watertight finish.
Core: polystyrene.


PGHSK80PAINT

5 PERFECT FINISHES IN 1 SINGLE PRODUCT


Incizo®-patented profiles that perfectly match your vinyl floor colour.
Simply cut the profile to the shape you need.
An all-in-one solution that provides a seamless result.



FULL PROFILE TO BE CUT
2000 × 45 × 8 mm
Colour matching with floor.
PGVINCP(-)
For full article number, go to pergo.com




1
END PROFILE
2000 × 19 × 8 mm
To cover the expansion joint between floor and e.g. wall, window or threshold.



2
EXPANSION PROFILE
2000 × 38 × 8 mm
To cover the expansion joint between two floors of the same height.



3
ADAPTER PROFILE
2000 × 45 × 8 mm
To cover the expansion joint between a higher and a lower floor.




4
TRANSITION PROFILE
2000 × 38 × 8 mm
To cover the expansion joint between floor and e.g. carpet.



5
INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS
2000 × 33 × 17 mm

THE INCIZO® SUBPROFILE
Is required for stair application and has to be ordered separately.
Not compatible with Namsen and Viskan.
NEVINCPBASE1




METAL PROFILES

Slim and elegant profiles in wear and scratch resistant aluminium to finish of expansion gaps or staircases.



ADAPTER PROFILE
2000 × 38 × 7 mm
To cover the expansion gap between a higher and a lower floor. Surface: aluminium.
Available in different colours: Silver, Coffee, Clay and Champagne.

NEVADPSILV
NEVADPCOFF
NEVADPCLAY
NEVADPCHAM



EXPANSION PROFILE
2000 × 34 × 7 mm
To cover the expansion gap between two floors of the same height. Surface: aluminium.
Available in different colours: Silver, Coffee, Clay and Champagne.

NEVEXPSILV
NEVEXPCOFF
NEVEXPCLAY
NEVEXPCHAM



END PROFILE
2000 × 24 × 7 mm
To cover the expansion gap between floor and e.g. wall, window or threshold. Surface: aluminium. Available in different colours: Silver, Coffee, Clay and Champagne.

NEVENPSILV
NEVENPCOFF
NEVENPCLAY
NEVENPCHAM



MULTIFUNCTIONAL PROFILE SILVER
1860 × 47 × 16 mm
The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor.
Suitable for height differences of 0 – 12,3 mm.
Surface: aluminium.
PGPRSILV

For more information about Incizo® profile please visit our webpage.



NEW: MATCHED RIGID STAIR COVER

Give your staircase a fresh look with easy-to-install stair covers. These durable yet elegant stair covers are made from floor planks, which guarantees a 100% seamless matching fit with your floor. Only available for Namsen, Glomma and Vorma* floors.

QUICK AND EASY INSTALLATION

A really fast way to install with Multiglu.

COLOUR MATCHED FINISH

Use the same staircover as your floor to give your home that seamless look.

SCRATCH AND WEAR RESISTANT

A stair that will keep its good look years and years to come.



COLOUR MATCHED RISERS INSTALLATION

Gives your stair a seamless look from top to bottom.



PAINTED RISERS INSTALLATION

Install just the treads and paint the rest in the same colour as the wall.



VINYL STAIR COVER - BULLNOSE

Durable vinyl tread cover with a bullnose stair nosing to cleanly finish your stairs. Since Stair Covers are made of your floor's material, the colour matches 100%.

PGVSTRBMP(-) 1474 x 136 x 54 mm (for Glomma)

PGVSTRBSP(-) 1231 x 113 x 54 mm (for Namsen and Vorma)

For full article number, go to pergo.com



**To install the staircovers in combination with a Vorma floor, you will need Namsen planks with the equivalent decor, to complete your stair solution. For full description, advice the staircover installation instructions on pergo.com. Only available for wood decors, not stone decors.*



*GIVE THE FLOOR
AND STAIRS THAT
SEAMLESS LOOK*



WATER RESISTANT MADE EASY

Installing a water resistant floor is really easy. Follow the steps below and get your vinyl floors ready for splashes, damp and the kids indoor water games.

Only suitable for Rigid vinyl.

TWO STEPS TO GIVE YOUR FLOOR A WATERTIGHT FINISH.

1. FOAMSTRIP

15 m x 8 mm x 5 mm

An elastic filler for gaps around the floor perimeter.

NEVRFOAMSTRIP15

2. AQUA SEALANT


310 ml

Transparent silicone to combine with the Foamstrip for a watertight finish of your floor. One tube for 15 m.

PGKITTRANSP

A TOTAL FLOOR SOLUTION

Pergo vinyl flooring is well known for being easy to install. Naturally, we have all the accessories you need to do the job with ease and to keep your floor in perfect condition.



1

MULTI GLUE

290 ml

This multifunctional glue is your trusted companion while installing all Pergo accessories, whether it's skirtings or profiles - this glue is the perfect match. One tube glues 15 running metres of skirtings.

PGGLUE290

2

COLOURED SEALANT

310 ml

Acrylic-based paste for a beautiful finish between skirtings and walls. Available in 14 different colours. One tube for 15 running metres.

PGKIT(-)B

For full article number, go to pergo.com

3

AQUA SEALANT

310 ml

Transparent silicone to use on top of the Foamstrip for a watertight finish of your floor. This is necessary to take advantage of our water resistance warranty. One tube for 15 running metres.

PGKITTRANSP

4

INSTALLATION SET

Installation set that contains a tapping block, a metal crowbar and spacers in two sizes (2 x 18 = 36 pcs) to quickly install your floor without damaging it.

PGTOOL

EXTRA SPACERS

48 pc

PGSPACER

5

PLUGS FOR SKIRTINGS

The easy way to connect skirtings, even in corners.

24 connecting plugs for inside or outside corners, 24 connecting plugs for straight stretches.

NEPLUG

6

PIPE COVERS

2 pc / pack

These stainless steel covers finish your pipes and heating elements neatly.

Inner diameter: 18 mm. Outer diameter: 54 mm.

PGPCINOX18

Inner diameter: 22 mm. Outer diameter: 54 mm.

PGPCINOX22

7

VINYL INSTALLATION TOOL

This tool can be used in two ways: it helps you to precisely cut your vinyl floor with the Vinyl knife, while it protects your hand, and it allows you to easily install your floor in hard-to reach places thanks to the lever function.

PGVTOOL

8

VINYL KNIFE

Sturdy and professional utility knife ideal for cutting curves and shapes out of your vinyl floor. It contains 5 ultra-sharp and curved blades. For an optimal result, you can combine it with the Vinyl installation tool.

PGVKNIFEB

REFILL SET FOR VINYL KNIFE

This refill pack contains 40 blades for the Vinyl knife. They are packaged in a solid and safe metal box.

NEVKNIFEREFILL40

9

FLOOR CLEANER

1 l

This product thoroughly cleanses your floor, protects the surface and helps preserve its original appearance. It's biodegradable which makes it a truly sustainable choice. Floor cleaner has been specifically developed for Pergo floors.

PGCLEANECO1000

10

SPOT CLEANER

250 ml

This product removes even the most persistent stains, such as those from permanent markers, paint, red wine, kitchen spills and more. Spot cleaner has been specifically developed for Pergo floors.

PGSPOTCLEAN

11

REPAIR KIT

A quick and easy way to repair damaged planks in colours that match your Pergo floor. Contains 1 melting knife, 1 comb and 7 wax blocks. For more information on how to mix colours visit pergo.com.

PGREPAIR

12

CLEANING KIT

High-quality mop set with extra-long ergonomic handle and a mop cloth holder with practical Velcro fastener. You can wash the microfibre mop up to 60°C.

PGCLEANINGKIT



PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com.

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of  UNILIN